

## INTRODUCTION



## WELCOME, USER!

Welcome to ITIC!

You will find a comprehensive step-by-step guide for processing your locate requests online in the following pages. We have included a detailed description of the innovative tools and features that have been added to this newly revised version of ITIC.

We have designed this manual to provide the knowledge required for the efficient submission of accurate ITIC locate requests. We've packed a lot of information into these pages, and have arranged it in a streamlined, user-friendly format. It is loaded with visual examples and helpful hints. We think it is best to read it from beginning to end before you start, but the design also facilitates quick references to specific subject matter.

So, what are you waiting for? Let's get started! And remember, our skilled operators are here to help. Assistance is available through the telephone, e-mail, and our newest feature, ITIC Live Help Chat! That's right, you can get live help while you are processing your locate requests! See page 03 for details.

\*An important word from the editor: This document contains many color drawings, actual screenshots, and color-coded information. For best results, we recommend that this document be printed in **COLOR** 



# TABLE OF CONTENTS

NTRODUCTION		
SUBMIT A LOCATE REQUEST	INTRODUCTION	01
READY		
READY	LIVE CHAT	03
READY	SUBMIT A LOCATE REQUEST	
GET SET		
GO		
ITIC USER INFORMATION		
EXCAVATOR INFORMATION	GO	05
STEP 1: Onsite Contact Information	ITIC USER INFORMATION	06
STEP 2: Excavation Information		
PROFILES		
STEP 3: Location Information		
STEP 4: MAP IT	PROFILES	
THE MAP		10 - 17
FINDING THE CORRECT LOCATION ON THE MAP	SIEP 4: MAP II INTERNET TICKET PROC	FSSING
POLYGONS 25 - 26  STEP 5: TICKET TYPE 27 WORK TO BEGIN DATE 28 UTILITY NOTIFICATION LIST/SUBMITTING LOCATE REQUEST 29  POST - SUBMITTING A LOCATE REQUEST  DUPLICATE A DIG 30 UPDATE TICKET/VIEW A LOCATE REQUEST 31 TICKET SEARCH 32  HELP PAGES/APPENDIX  APPROVED ABBREVIATION LIST A1 DISTANCES AND MEASUREMENTS A2 GOOGLE - POSITIONAL SHIFT - EXAMPLE A3 GOOGLE - FLOATING POLYGON - EXAMPLE A4 WORK OFF PROPERTY AND ROADS - EXAMPLE A5 UPLOAD FILE (S) A6  ITIC MOBILE QUICK GUIDE  INTRO AND GETTING STARTED A7 - A8 LOGGING IN A9		
STEP 5: TICKET TYPE		
TICKET TYPE 27 WORK TO BEGIN DATE 28 UTILITY NOTIFICATION LIST/SUBMITTING LOCATE REQUEST 29  POST - SUBMITTING A LOCATE REQUEST  DUPLICATE A DIG 30 UPDATE TICKET/VIEW A LOCATE REQUEST 31 TICKET SEARCH 32  HELP PAGES/APPENDIX  APPROVED ABBREVIATION LIST A1 DISTANCES AND MEASUREMENTS A2 GOOGLE - POSITIONAL SHIFT - EXAMPLE A3 GOOGLE - FLOATING POLYGON - EXAMPLE A4 WORK OFF PROPERTY AND ROADS - EXAMPLE A5 UPLOAD FILE (S) A6  TIC MOBILE QUICK GUIDE  INTRO AND GETTING STARTED A7 - A8 LOGGING IN A9		25 - 26
WORK TO BEGIN DATE UTILITY NOTIFICATION LIST/SUBMITTING LOCATE REQUEST  29  POST - SUBMITTING A LOCATE REQUEST  DUPLICATE A DIG UPDATE TICKET/ VIEW A LOCATE REQUEST TICKET SEARCH 32  HELP PAGES/APPENDIX  APPROVED ABBREVIATION LIST A1 DISTANCES AND MEASUREMENTS A2 GOOGLE - POSITIONAL SHIFT - EXAMPLE A3 GOOGLE - FLOATING POLYGON - EXAMPLE WORK OFF PROPERTY AND ROADS - EXAMPLE A5 UPLOAD FILE (S)  A6  TIC MOBILE QUICK GUIDE  INTRO AND GETTING STARTED A7 - A8 LOGGING IN A9		27
DUPLICATE A DIG UPDATE TICKET/VIEW A LOCATE REQUEST  30 UPDATE TICKET/VIEW A LOCATE REQUEST TICKET SEARCH  32  HELP PAGES/APPENDIX  APPROVED ABBREVIATION LIST DISTANCES AND MEASUREMENTS GOOGLE - POSITIONAL SHIFT - EXAMPLE WORK OFF PROPERTY AND ROADS - EXAMPLE UPLOAD FILE [S]  A7 - A8 LOGGING IN  A7 - A8 LOGGING IN		
DUPLICATE A DIG		
DUPLICATE A DIG	CHELL I NOTH ICATION EIGH GODINIT HING EGGATE NEGGEOT	
UPDATE TICKET/VIEW A LOCATE REQUEST TICKET SEARCH  31  TICKET SEARCH  32  HELP PAGES/APPENDIX  APPROVED ABBREVIATION LIST APPROVE	POST - SUBMITTING A LOCATE REQUEST	
UPDATE TICKET/VIEW A LOCATE REQUEST TICKET SEARCH  31  TICKET SEARCH  32  HELP PAGES/APPENDIX  APPROVED ABBREVIATION LIST APPROVE		
TICKET SEARCH		
HELP PAGES / APPENDIX  APPROVED ABBREVIATION LIST		
APPROVED ABBREVIATION LIST	TICKET SEARCH	32
APPROVED ABBREVIATION LIST	HELP PAGES / APPENDIX	
DISTANCES AND MEASUREMENTS	TEEL PAGES, ALL ENDIA	
GOOGLE - POSITIONAL SHIFT - EXAMPLE	APPROVED ABBREVIATION LIST	A1
GOOGLE - FLOATING POLYGON - EXAMPLE		
WORK OFF PROPERTY AND ROADS - EXAMPLE		
UPLOAD FILE (S)		
TIC MOBILE QUICK GUIDE  INTRO AND GETTING STARTEDA7 - A8 LOGGING INA9		
INTRO AND GETTING STARTEDA7 - A8 LOGGING INA9	UPLOAD FILE (S)	A6
INTRO AND GETTING STARTEDA7 - A8 LOGGING INA9		
INTRO AND GETTING STARTEDA7 - A8 LOGGING INA9		
Logging ina9	TIC MOBILE QUICK GUIDE	
LOGGING INA9	INTRO AND GETTING STARTED	Λ7 - ΛΩ
PROFILES/MAPPING IN BRIFE	LOGGING IN	
	PROFILES/MAPPING IN BRIFE	



### **INTRODUCING ITIC LIVE HELP!**

Keep getting an "Incomplete Ticket" notice? Need help setting up multiple accounts? Having difficulties describing your work area? ITIC Live Help is here for you!

ITIC Live Help is an interactive chat program created to assist ITIC users in real time.

ITIC Live Help has many benefits. Here are a few:

**Speed & Accessibility:** Access ITIC Live Help from the same ITIC page used to file the locate request, so you get help the moment you most need it. Our ITIC experts will assist you immediately while you continue working on your locate request. Many users prefer ITIC Live Help to waiting for a return call or email.


**Reduced Repetition:** ITIC Live Help is in a simple text format, which can easily be shared between several ITIC experts. There's no need to explain a problem to several representatives; if more than one ITIC expert assists you, they can quickly familiarize themself with your situation by reviewing the conversation.

**Easy Documentation:** With ITIC Live Help, you can easily copy, paste, and save the session for later reference. ITIC Live Help can even email a transcript of the conversation to you!

**Education & Training:** The more you correspond with our ITIC experts, the better you will become at filing locate requests online. As your ITIC skills grow, so will the number of your tickets that are released directly from review!

ITIC Live Help is available Monday through Friday from 8am-5pm.

If Live Help is not available, you may leave a message and an **ITIC expert** will respond as soon as possible.






## **READY**

Click the "Washington" button found at the top of the Utility Notification Center homepage (www.callbeforeyoudig.org).



#### Call before you dig. It's the law!

The Utility Notification Center is the one-call agency dedicated to safeguarding citizens and construction personnel who work around utilities, as well as safeguarding the underground infrastructure of pipes,




facilities, service interruptions &

epts calls from contractors, and Hawaii. Calling before you according to the APWA color

On the next page, click "Contractors" button. You will be re-directed to the Washington One Call ITIC Login Page.

Enter your email address and password then click "Login." If you have forgotten your password, click "Forget your Password?" and we will email it to you.





By logging in, you agree to the Terms and Conditions. You can read the full text by clicking the "Terms and Conditions" link.




The ITIC Main Menu appears upon login.

### **GET SET**

In this section you will learn to prepare locate requests.


### GO!

Click "Submit a Locate Request"



## NEED HELP?

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours: Mon - Fri 8a - 5p





Each field has a **pop-up help box** listing the field definition/requirement. Activate pop-ups by **clicking on the field titles.** 



The ITIC system will not allow you to enter special characters such as \* \ ^ ' or ". %



#### **ITIC USER INFORMATION**

#### Phone Number and Ext.

These fields will auto-fill with the information associated with your login.

Click the 'Main Menu' icon at the top of the page, then click the "Edit Account" button to update your main phone number.

#### Contact

Enter **YOUR** first and last name as the ITIC user entering the information.

Main Menu 🏤 Main Menu 🏫 | Help ? | Chat Live 🔎 Washington One Call ITIC USER INFORMATION Phone No 555-555-5555 Ext Contact: **EDDIE DEAN** Best Time: EXCAVATOR INFORMATION Company: TOREN BROTHERS CONSTRUCTION Address: 19 Street: ODD LANE TULL City: State: Zip: 98765 Email Address: EDDIE@TORENBROS.COM Fax No 555-555-5566 CANCEL | NEXT STEP >

## **EXCAVATOR INFORMATION**

This section will auto-fill with your company information. •

To update your company information, click the 'Main Menu' icon at the top of the page, then click the "Edit Account" button to make changes.



**IMPORTANT!** Do not use the 'BACK' or 'FORWARD' buttons of your web browser (Internet Explorer, Firefox, Safari, etc...). Any information already entered will be <u>DELETED</u>. Please use the buttons at the bottom of the form.



### **STEP 1: Contact Information**

#### Alternate Contact and Phone Number

Enter the name and cell phone number of the person primarily responsible for conducting or managing the excavation process. **Use a specific person's name; dispatch, operator, anyone or unknown are not acceptable entries.** [The utilities will contact this person if additional information about the site is needed.]

NOTE: See PROFILES section (page 8) to auto-fill your routinely used information

Step 1: Contact Information

Alt. Contact: JAKE CHAMBERS

Phone No: 555-555-5544


### **STEP 2: Excavation Information**

#### Type of Work

Enter the specific type of work to be performed. Field locators need to know the specific reason for excavation rather than the work method. Do<u>not</u> use the words 'Emergency' or 'Dig'. **Examples**: Install Sign, Install Secondary Electric, Repair Gas Service...

### Work Being Done For

Enter the name of the person, company, or organization the work is being done for.





Use keyword searches! Type keywords (install, water, backhoe, etc.) to generate a list of options. Make a selection from the dropdown list whenever possible

CANCEL SUBMIT >




Profiles ▼

request form.

## **PROFILES**

Profiles are used to **auto-fill** specific fields with your routinely used information. Utilizing the 'Profiles' feature will enable ITIC to 'remember' your information - **saving you time** in the Locate Request process.



Profiles are located at the top of the **second page** of the locate

Click the profile drop-down and select CREATE JOB PROFILE to create a profile.



Work Profile Information

Profile Name:

Contact Information

Alt. Contact:

**Excavation Information** 

Type of Work:


Location Information

County:

City/Place:

Location of Work:

Work Being Done For



Create a name or title for the

You can also create profiles for specific **counties** or **cities** that •\_\_ you work in, or even save **marking instruction**s that are commonly used. •\_\_\_


#### **ALL FIELDS ARE OPTIONAL**

Click **SUBMIT** when complete.



## **PROFILES -** Continued

The title of the profile will appear in the drop-down menu once you have submitted it. The new profile can now be used when preparing a locate request. The fields on the locate request form will auto-fill with the information you entered for that specific profile when you choose it from the drop-down list. •




# NEED HELP?

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours: Mon - Fri 8a - 5p

Edit & Delete .

To edit or delete an existing profile, select EDIT

JOB PROFILE from the "Profiles" drop-down.






### **STEP 3: Location Information**

### County -

Choose the county in which all of the work will take place. Complete a separate ticket if the work extends into another county.

### City/Place

Enter the name of the city or place where the work is taking place. If work is taking place outside of city limits, enter the name of the nearest city to where the work is taking place.



## House # (Address) •

Enter the number of the address where the work will take place. Lot, building, PO box or rural route numbers are not addresses and should not be used. If there is no physical address, leave this field blank.

**NOTE**: Be sure to choose the city physically closest to the worksite. This will not necessarily be the same city as the mailing address.

NOTE: If you are referencing multiple addresses to describe your dig site, only enter one address in the House # field, and reference the rest of the addresses in the Location Of Work field.



## NEED **HELP?**

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours: Mon - Fri 8a - 5p

## **STEP 3: Location Information -** Continued




#### Street Name

Enter the street name associated with the address. If there is no address, enter the name of the street in which the digging will take place on or along.

#### → Closest Cross Street

Enter the name of the intersecting street closest to where the work will take place. The closest intersecting street may not necessarily be a major intersection. **This information is required if there is no address listed for the worksite.** 



## **ADDRESS TIP**

## Use keyword searches!

Start typing in the Street name (ex. 'ch') to generate a list of street name options. Select from the **drop-down lists** whenever possible but **only** if correct. This works for **both** street fields! •——

Street Name:

Location of Work:

sh

SHAFFER AVE S

E SHELBY ST

S SHELL ST

S SHELTON ST

## **REMEMBER**

Do not list multiple street names in a single street field.

If you would like to list nearby major intersections, reference them in the Location of Work field.

## **ADDRESS / LOCATION DESCRIPTION TIPS**



#### **Unnamed Street**

Enter the appropriate description in the **Street Name** field if the street does not have a "proper" name (i.e. unnamed county road, hwy 71 west bound exit ramp, alley, RR tracks). **Give driving directions to the site when doing so. Format the driving directions by referring to an intersection of 2 named roads in the Location of Work field. †** 

#### For Instance:

In the Location of Work, enter "From Elm Ave go N on Main St approx 400ft to unnamed road, go w on unnamed rd approx 350ft to vacant lot on n side of rd."

### Multiple Names for Street

If the street has more than one name, enter only one of the names in the appropriate street field. List any **additional** names ("also known as," or "AKA") in the **Location of Work field**.

#### For Instance:

In the Location of Work, enter Main St / Us Hwy 14 - This information should be entered as 'Main St aka Us Hwy 14'.

# NEED HELP?

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours: Mon - Fri 8a - 5p

ation Information	Step 3: Loca
	County:
	House #:
	Street Name:
	Location of Work:
	Coord Type:
	Lat/North:
	Township:(Ex:275)
	Remarks:

## **Abbreviations**

When entering the information in the street fields you can abbreviate the street modifiers and directional information. For example: enter N Main St instead of North Main Street.

The following is a list of suggested abbreviations for street name modifiers.

Avenue - AVE
Boulevard - BLVD
Circle - CIR
Court - CT
Drive - DR
Highway - HWY
Interstate - I (170)

Parkway - PKWY

Place – PL Route – RT Street, – ST Terrace – TER Trail – TR



## STEP 3: Location Information - Continued

#### Location of Work •

Enter marking instructions and any driving directions in this field. Below are a few things to remember when formatting your instructions.

- All locate requests require

  MARKING INSTRUCTIONS in the

  Location of Work field.
  - Marking instructions should be as complete and accurate as possible, so the utilities know where any excavation will be taking place.
  - Marking instructions must
    describe the entire area where the
    excavation will take place NOT what utilities need to be marked.

Step 3: Location Information

County: 
House #:
Street Name: 
Closest C

Location of Work:

Coord Type: 
Lat/North:

**IMPORTANT:** Please provide driving directions from a known intersection any time the dig site does not have a numerical address or is not located at an intersection. **Driving directions** must include approximate distance and specific direction (N, S, E, W, NW, NE, SE, or SW). **Example -** "FROM MAIN ST GO N ON 1ST ST 1000FT, THEN LOCATE 20FT OUT ON W SIDE OF 1ST ST GOING N TO MONROE ST."


### Work Taking Place at an Address

Enter the address number in the address field, and the street associated with it in the street name field.

#### For example:

- Mark entire front half of lot.
- Mark 10ft radius of house
- Mark from front corners of house to rear lot line, for width of lot

Be sure to clearly describe the entire extent of the work area.





**IMPORTANT!** Please do not use ( ' ) or ( " ) for feet & inches as some printers can't print these characters. It's best to use feet, ft., foot, and inches or in.



## **STEP 3: Location Information -** Continued

#### Work Taking Place (or Starting) At an Intersection

If work begins at the intersection, no driving directions are required. Simply describe how far and in what direction(s) the work will take place.

#### For example:

- Mark 100ft radius of (above) intersection
- Mark a square area 25ft N and W from NW corner of above intersection
- Mark entire W rd right of way of Elm Ave going N from Main St for 250ft

Be sure to clearly describe the entire extent of the work area.



# Work Taking Place (or Starting) Away from an Intersection

If work does not begin at the

intersection, and is not taking place at an address, provide driving directions to the worksite from an intersection of two named roads. (This method may also be used if work is taking place at an address, but you do not have the address information).

#### For example:

- From Elm Ave go W on Main St approx 800ft to vacant lot on N side of rd. Mark entire vacant lot.
- From Jones Rd go N on Oak Ave 450ft. At that point, mark entire rd right of way of Oak Ave, going further N 250ft.
- From Main St go N on Elm Ave approx 500ft to unnamed rd, then go W on unnamed rd approx 250ft to white flag on N side of unnamed rd. Mark 10ft radius of white flag.

**Note:** Regardless of which of the method you use to describe your work area, be sure to enter the name of the rd that work is actually taking place on in the "Street Name" field. If work is taking place on an unnamed rd, list 'unnamed rd' in the street name field, and enter the nearest road to intersect the dig street ('unnamed rd') in the intersecting street field. In the last example, you would enter 'unnamed rd' in the Street Name field, and Elm Ave in the Closest Cross Street field.



## **STEP 3: Location Information -** Continued

#### Large & Multi-Address Worksites

If your worksite involves property on multiple addresses, you must file a separate ticket for each work site. In other words, if you are installing 15 different sewer laterals at 15 adjacent addresses, you must file 15 separate tickets.

#### **Continuous Dig**

Some large excavation projects (such as utility main line installation) can be completed on a single ticket. In order to fit onto one ticket, the work area must be a continuous excavation, must be confined to a single county, and must not extend onto the property of multiple addresses.

Example: "Mark entire road right of way of Elm St, from Murphy Ave going S for ½ mile to Smith St, then mark entire rd right of way of Smith St going W for 500ft to Westgate Lane, then mark entire rd right of way of Westgate Lane going N for 1 mile."

#### Route Work

Non-continuous route type work can be included on a single ticket if the work is on either side of the street, and if the sites are not more than 750ft apart. If the work area skips from street to street, it is not a route type ticket and must be split into multiple tickets. Common examples of route type work include installing poles, planting trees, installing signs, etc.

Example: "Mark a 10ft radius of the 1st, 2nd, 4th, 6th and 7th power poles located s of Bear Creek Road and n of Anne Lane, on the w side of 27th St. There are 8 poles at this location. The poles to be replaced are marked with orange flagging. Total length of work site approx 1600ft."

**IMPORTANT:** There is no such thing as a "Blanket Ticket." If you are a subcontractor and you are excavating, protect yourself and your company by filing a locate request. A general contractor's ticket does not apply to anyone except the general contractor. Similarly, a property owner's ticket does not protect a professional excavator from liability. You can easily reproduce another contractor's ticket by using the 'Duplicate A Ticket' button at the main menu screen. See Page 31 for more details.





## STEP 3: Location Information - Continued



Use ONLY the following approved abbreviations when formatting the location of work or driving directions. Tickets formatting with abbreviations other than those shown will be returned to the user for correction.


Feet - FT Inches - IN Miles - MI Yards - YDS West - W East – E South - S North - N

Northeast - NE Northwest - NW Southeast - SE Southwest - SW

### Coord Type, Lat/North, Lon/East, Zone •—

These fields are used to enter Lat/Lon coordinates and require a specific format to obtain accurate results. This information is not required.

> \*All necessary information is required if Lat/Lon coordinates are entered.



Select the correct **coordinate type** from the drop-down menu. (If you do not know which format your coordinates are in, enter the coordinates back in the Location **Description** field.)

Enter the Lat/Lon coordinates in the Lat/North and Lon/East fields for each format type as follows:

Zone:

Lon/East:

Decimal (DD.DDDD):

Lat/North: 40.56000 Lon/East: -92.709722

 Degrees, minutes and decimal minutes (DD MM.MMMM):

12.474000

 Degrees, minutes and seconds (DD MM SS.SS): Lat/North: 40 33 36 Lon/East: -92 42 35

• State Plane Coordinate-Meters (SPCS):

• State Plane Coordinate-Feet (SPCS):

Lat/North: 524647.84 Lon/East: 482239.34

Lat/North: 1721245.57 Lon/East: 441728.68

UTM should be entered as follows:

Lat/North: 4489955.24 Lon/East: 524574.44

Zone will auto-fill for certain format types



## **STEP 3: Location Information - Continued**

#### Township, Range and Section (TRSQ)

These fields are used to enter Township, Range and Section-Quarter Information (TRSQ). You will need to enter the information in the correct format for accurate results. This information is not required.

Do not enter zero before any Township, Range or Section-Quarter number. If on any locate the excavation site travels into a different township or range, please put the first set of TRSQ information in the TRSQ fields, then put the second set of TRSQ information in the Location of work field. (Be sure to clearly separate any additional information from the marking instructions)

#### For example: **T**: 27S **R**: 2E **S-Q**: 3-NE-NW **T**: 26S **R**: 1W S-Q: 2-NE-NW, 11-SE-SW **T**: 7S **R**: 38W S-Q: 1 **T**: 34S **R**: 20E **S-Q**: 4, 5, 6 25N 16-SE Township:(Ex:275) Range: DO NOT MARK ON ANY PAVED OR PERMANENT SURFACES Remarks: Remarks These fields are used for any additional AREA WILL BE MARKED IN WHITE notes that may apply to your locate request. BEST INFORMATION AVAILABLE BEWARE OF DOG -- KNOCK ON DOOR FOR ACCESS Click the Search button to view a list of com-CALL CENTER NOTE: NEC EMERGENCY FOR CALLERS COMPANY monly used remarks. • CALLER GAVE LATITUDE AND LONGITUDE CALLER GAVE THOMAS GUIDE PAGE CALLER GAVE TOWNSHIP, RANGE, SECTION INFO CALLER GAVE TRSQ. FAX-A-LOCATE ENTERED THROUGH ITIC Cancel Select

IMPORTANT: Do not list marking instructions in the Remarks field. All marking instructions must be listed in the Location of Work field.



### STEP 4: MAP IT

#### A Brief Introduction

In this section you will learn, in detail, how to use the mapping application to draw the excavation polygon.



**REMINDER: Washington One Call members do NOT see the map.** The map & polygon are used to determine which member utilities will receive the ticket.

The map will automatically search by the address, intersection, TRSQ or Lat/Lon provided once you have entered the required ticket information. If the location is found, it will be displayed in the center of the map. Otherwise, you may need to search manually for the correct area. Once the correct area is found, you will need to draw a polygon to encompass the entire area of excavation, which will determine the utilities to be notified.

•-----

#### THE MAP

#### Requested Location •——

This field will auto - fill the data entered from "Location Information".

#### Search Results

If ITIC finds one or more matches for your site, the options will be listed here. **Click the drop down list** to view all options and select the correct location. (Not seen in Google View)



#### Street/Address Search

Use this button to manually search for aspecific address, street, intersection, and/or city. (See page 22 for more details)

#### TRSQ


Use this button to manually search for Township, Range and Section-Quarter. (See page 23 for more details)

### Lat/Lon Search •

Use this button to manually search for Lat/Lon coordinates. [See page 23 for more details]



Changing the information in the Street/Address Search box WILL NOT change the information entered in the Location Information fields. Make changes to Location Information fields separately.



top of any page to chat with a live ITIC specialist while you are processing your locate requests.



## **STEP 4: MAP IT - THE MAP Continued**

# Directional Button •—

Click the directional button in the direction you would like the map to move.
[You can also "grab" and move the map by holding down the left

mouse button.]

Zoom 'In' & 'Out' Bar

**Zoom in** for more detail by clicking on the plus (+) sign or by dragging the marker up on the bar.


Zoom out for an increased overall view by clicking on the minus (-) sign or by dragging the marker down on the bar. [You can also zoom in and out by using the middle rolling button on your mouse when your mouse point is on the map.]

## Change Shape/Size

Used to change the shape & size of the default polygons.

#### View

Change the image of the map to the OCC map view (pictured), **Hybrid** View (See page 26 for example) **Satellite** view (See page 26 for example), or **Google** map view. (See page 24 for example)



#### Draw

Use this function to place points and lines on the map and create an excavation polygon around the your dig site.

### Identify

Use this function to identify roads, highways, rivers, creeks, etc., on the map that may not show a name. The name will appear in the bottom section of the map next to "Highlight." Zooming in on the map makes more names visible.

#### Measure

Use this function to measure the distance between points on the map. Using this tool regularly ensures proper coverage of excavation areas and confirms distances along roads.

#### **Placemark**

Use this function to drop a placemark on the map for personal reference. The

Placemark tool can be very helpful when used in conjunction with the **Measure** tool.



## **STEP 4: MAP IT - Continued**


#### FINDING THE CORRECT LOCATION ON THE MAP

#### Automatic Address Search

If the system finds an exact match for the address provided (single address only), ITIC will zoom in and display the location in the center of the map (as shown below). Check the following to confirm the system has found the correct location:

- The street name is spelled correctly.
- The nearest intersecting street provided is the closest intersecting street to the jobsite.
- The city currently displayed is the same as the city provided.
- The Search Results drop down for multiple matching options.

### MAP: Automatic Address Search






## STEP 4: MAP IT - FINDING THE CORRECT LOCATION ON THE MAP Continued

#### Automatic Intersection Search **◄······**

If there is no address or the address was not found, ITIC automatically performs an intersection search. If the intersection is found, ITIC will zoom in and display the intersection in the center of the map (As shown below). Check the following to confirm the system has found the correct location:


- The street names are spelled correctly.
- The nearest intersecting street provided is the closest intersecting street to the jobsite.
- The city currently displayed is the same as the city provided.
- The Search Results drop down for multiple matching options.

#### MAP: Automatic Intersection Search





## STEP 4: MAP IT - FINDING THE CORRECT LOCATION ON THE MAP Continued




In the **Street Search box**, the fields default with the information entered in the Location Information. This information can be changed in order to search for different areas on the map. Changing this information does **NOT** change the information in the Location Information fields; it only changes your search criteria. You may enter a single street with the city, another intersection with the city, or just the city itself. **If the new data entered is found, it will be centered on the map.** •——

- → If you are working on a street or road with "State", "County", or "Hwy" in the name, and it has an alternate name, use the alternate name to expedite the map search.
- → If you have a number in the street name (hwy or county road) search only the number.



Changing the information in the Street/Address Search box WILL NOT change the information entered in the Location Information fields. Make changes to Location Information fields separately.





## STEP 4: MAP IT - FINDING THE CORRECT LOCATION ON THE MAP Continued


### Search by Latitude/Longitude

ITIC will automatically search accurate coordinates provided on the ticket.

If you wish to do a manual Lat/Lon search click the "Lat/Lon Search" button. -

Enter the coordinates in the correct format. The map will center the coordinates on the screen with a point if they are found within

the **county** you have provided.



#### TRSQ

ITIC will automatically search accurate Township, Range & Section ¼ (TRSQ) information provided on the ticket. If you wish to do a manual TRSQ search, click the "TRSQ" button.

Enter the TRSQ in the correct format. The grid will appear in the center of the screen, if it is found within the county you have provided. •

# NEED HELP?

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours:

Mon - Fri 8a - 5p

Township
Range
Section-Qtr

Search
Clear




## **STEP 4: MAP IT - FINDING THE CORRECT LOCATION ON THE MAP Continued**

#### Manual Google Map Search

If the location is not found automatically by ITIC, you may choose to search **Google**. Click on the **Google button** to change the map view. •

The **Search Results drop-down box** will be replaced with a **Google Search field**. The information in this field is copied from the Requested Location. Click the **search button** to the right of this field to search the location on the Google map.

To search a different intersection, remove the address, street and intersecting street, and leave the city. Then enter the new intersection preceding the city in the format shown below: •



After the location is found, you can draw the polygon on the Google map.


Guidelines for drawing a polygon on page (25)

\*If you draw the polygon on the Google map, you must click the "OCC" (view button) to verify the polygon on the ITIC map before submitting.

## NEED HELP?

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours: Mon - Fri 8a - 5p

## MAP: Manual Google Map Search





## **STEP 4: MAP IT - POLYGONS** Continued

#### Hand Drawing the Polygon

Select "Draw" and make a single click on the map where you would like to set your first point. •

(Do not 'drag' the cursor after making a point, the map will move, **click and release** to make points as you go.)

DrawIdentifyMeasurePlacemark

Continue setting points until you completely encompass the entire area of excavation. To close/complete the polygon, simply click the same square point where you began.

#### **POLYGON**

### **POINTERS**

- Enclose the entire area described on your ticket with the polygon.
- Always include the dig street within the polygon except when describing a dig site with a distance off a street. If you are unsure, enclose both sides of the street.
- The polygon should **ALWAYS** cover the

  entire distance off the side(s) of the road that
  the work will extend when digging takes place in
  or along the road.
- Knowing the <u>side of the road</u> (N, E, S or
   W) and the <u>direction from the nearest</u>

Requested Location: 500 SE IRELAND ST at SE 6TH AVE OAK HARBOR M M M Search Results: found the requested address ‡ SE 4TH AVE Segment Length & Total Length Segment Length tells you the length SE 6TH AVE OAK HARBOR of the polygon segment you're working with, Total length tells you the length of the entire polygon SO FAR. SE 8TH AV 50 m SETerms of tise ge Shape Change Size Clear Delete Last Grid: T-32N R-1E S-38NW Segment Len: 48 295029 Total Len: -122.646217

## HERE'S A TIP

Always check "Place" displayed at the bottom left corner of the map. This will show the city/place your mouse pointer is in. If your cursor is in an off-white area the "Place" will be blank representing that you are outside city limits.

intersecting street will assist you in finding the dig site and drawing an accurate polygon.



## STEP 4: MAP IT - POLYGONS Continued

#### Measuring to a specific point

You can use the draw or measure function to determine distances on the map. Place the first point at the intersection, then click to make points following the road to the end point. Watch 'Total Length' indicator at the bottom of the map. Once you have measured the appropriate distance, click on "draw" (or "clear" if you used the "draw" tool to measure) and draw the polygon to encompass the entire worksite at that point.

If you find that the distance measured on the map is different than the distance you have entered in the Location Description, correct the distance in the Location description.

#### Modifying the Polygon

Place your cursor on any small square found on the polygon border(s) you wish to modify (the modification point). Continue holding the mouse button and stretch the polygon by dragging the point to another position.

Click and release to detach the point from the polygon and move the point to a new area on the map. Click the mouse button (right or left) to set the new point. Repeat these steps until you have re-shaped the polygon to encompass the entire excavation area.

#### Using the Satellite and Hybrid Options to Verify the Location


You can view an aerial map of the site location by clicking the **Satellite** button. Clicking the **Hybrid** button will display satellite imagery overlaid with OCC road map information. The Satellite and Hybrid map views can help you verify that the polygon is in the correct location and large enough to cover your work area. If you need to make changes, click the "clear" button and redraw the polygon.







### **STEP 5: TICKET TYPE**



Ticket Type •

There are two types of tickets available through ITIC. Upon initial registration, you will have access to 1 Ticket Type. It is:

• 2 Full Business Days – This ticket type is for routine tickets. Your ticket will automatically default to this ticket type, unless otherwise specified.

Once you have completed your training (40 error free tickets in sequence) you will also have access to the following Ticket Types:

• **Emergency** – This ticket type is for emergency situations that require an immediate response from locators. Refer to your local laws regarding emergency locate requests, as filing a false emergency is a violation of state law.

NOTE: As of 11/01/2019 the Pre-Survey header code is no longer available and has been replaced by the Design Request System. The DRS is available to all ITIC Mapping Users. Please contact the ITIC Department at nwitic@occinc.com if you have any questions.



**IMPORTANT!** Do not click the 'BACK' or 'FORWARD' buttons at the top of your internet browser (Internet Explorer, Firefox, Safari, etc...). All of your information already entered will be DELETED. Please use these buttons at the bottom of the form.



### **STEP 5: START DATE INFORMATION**

#### Work to Begin Date


These fields will default to the Routine start date and time required by state law. The two working day notice period does not include the day the request is made, so the start time will be 12:00 am on the third business day.

This date and time may be modified, but will not allow a start date/time that is earlier than the two working day notice, or later than a 10 working day notice.

Note: altering the start date & time does not change the date/time when a utility is required to have marks completed.



If your ticket goes to the call center for review, the 'start date and time' reflects the time the ticket is actually released from the call center. Tickets sent to review after 5pm are subject to be reviewed the next business day.



DID YOU KNOW? You can upload relevant files and attach them to your locate requests. See page A8 for more information.

NOTE: Altering the work to begin date & time does not change when utilities are required to have their marks completed.



IMPORTANT! Do not click the 'BACK' or 'FORWARD' buttons at the top of your internet browser (Internet Explorer, Firefox, Safari, etc...). All of your information already entered will be DELETED. Please use these buttons at the bottom of the form.



## <u>UTILITY NOTIFICATION LIST / SUBMITTING YOUR LOCATE REQUEST</u>

After clicking "Next Step" you will be presented with the Utility Notification screen. •

The list of utilities notified is based on the location where the excavation polygon is drawn. If there are any utilities in the area that are not listed on the ticket, you MUST notify them directly.

Submit or cancel the ticket by choosing one of the options at the bottom of the page. If you choose "Cancel", the ticket will **NOT** be submitted and you will be returned to the **ITIC main menu**. Clicking "Go Back" will return you to the location information and map page of the request.

#### UNDERGROUND FACILITY OPERATORS LIST

District         Company         Phone Number           CC7700         COMCAST CABLE         (253) 864-4383           KCMTRO01         KING CNTY METRO SEWER         (206) 684-1671           LEVL301         LEVEL 3 COMMUNICATIONS         (720) 888-6482
KCMTRO01 KING CNTY METRO SEWER (206) 684-1671
LEVI 301 LEVEL 3 COMMUNICATIONS (720) 888-6482
METRAN01 METRO TRANSIT (206) 263-6580
MTRMED01 ZAYO FNA ABOVENET (443) 403-2037

If you are ready to submit your ITIC locate request, click the "**Next Step**" button on the bottom of the screen.

< GO BACK CANCEL NEXT STEP >

#### ATTENTION:

The call center will send you a confirmation copy of your completed locate request. Please note that it is **your responsibility** to verify that ALL information is accurate upon the receipt of a completed request. There is a link located on confirmation email. Click this link and view the map one more time to ensure the entire excavation area is included within the polygon drawn. REMEMBER: Tickets submitted to review after 5pm will be reviewed the next business day. If you find any errors, call **1-800-424-5555** to correct the ticket.


If a ticket you have submitted for review lacks required information or contains errors, we will attempt to contact you through the information you have provided on the ticket. If we are unable to reach you by close of business, your ticket will be voided, and will not be sent to the utilities. You will receive a notification of the your voided ticket(s) via email or voice message.

If you do not receive a copy of the completed locate request it is your responsibility to re-submit the request. No excavation should take place until you receive a copy of the completed locate request and ALL utilities have responded.



### **DUPLICATE A DIG**

Use the **Duplicate A Dig** function to create a copy of an existing ticket. This can be very useful for jobs which involve several sub-contractors; each company can create their own ticket based on the original locate request.



Click "Duplicate a Dig" at the ITIC Main Menu screen (pg 05).

Enter the ticket number you wish to duplicate in the "Ticket Number" field. Click "Yes" to open the ticket. Click "No" to return to the main menu.

You will need to complete the "alternate contact," "type of work," and the "who is the work being done for?" field. The information in Step 3 (Location Information) will be carried over from the original ticket. You will need to complete steps 4 (Mapping) and 5 (Start Date & Time) normally.

**REMEMBER:** Anytime you release a ticket, you are verifying the ticket's accuracy. The Duplicate-A-Dig function is no exception. Be sure to double-check ALL of the information on the ticket before releasing.



### **UPDATE TICKET**


Use **Update Ticket** to make changes to an existing ticket, or to renew markings on an existing ticket.

Click the "Update Ticket" button at the ITIC Main Menu screen (pg 05).

Enter the ticket number in the Message Number field, then click the Search button.

NOTE: updating a ticket will cancel the original request if the start date/time has not passed.

Enter the reason for the update in the **Remarks** field ("update per needs remarks," "update per expanded work area," etc...)




Verify all information on the ticket. Once you have completed all necessary changes, re-map the entire area of excavation.

Click "Next Step" to advance to the Utility Notification Screen (pg 30).

### **VIEW A LOCATE REQUEST**

To view a ticket, click the "View a Locate Request" button on the Main Menu (pg 05).

Enter the ticket number for the ticket you wish to view in the "Message Number" field and click the "Search" button.



Clicking on "Cancel" will take you back to the ITIC Main Menu.



## TICKET SEARCH

To search for an existing ticket without a ticket number, simply click on the "Ticket Search" button found on the Main Menu (pg 05).

If you wish to search for your tickets, enter your name or Caller ID number (or both. Entering fewer search fields will return more results. Enter the county that is on the ticket and set the "Start Date/End Date" to the time frame in which you processed the ticket.

Then Click "Search".

ITIC will display a list of tickets meeting the criteria you entered. Click on the ticket number to open the ticket for viewing or printing. You can broaden your search to ALL tickets by not choosing a county, or you can narrow your search by entering a street or house number. (For Instance: enter "101" in the address field or "Main" in the Street field.)

Pan Map – Allows you to 'grab' the map with the curser and move it. •

Draw Polygon – Allows you to map • out an area, which can then be evaluated using the Search button. • This will show you a list of tickets that fall within the area mapped.

Feb \$ 21 \$ 2013 Ticket Number 1 Mar \$ 21 \$ 2013 Header Caller ID: Company\*: Email\* Type Of Work\* Work Done For Explosives Any County Township: County: Range BENTON House Number: Street\* Intersecting Street\*: Location\* Satellite Google Vancouver 100 kr

Clear Polygon - Clears your currently drawn polygon.

Map Help Popup - Will display a list of helpful notes.



Users can also search for tickets through the Utility Notification
 Center website at www.callbeforeyoudig.org. Click on the NTMS
 link on the lower-right side of the homepage.



## **APPROVED**

ABBREVIATION LIST The following is a list of approved abbreviations. These are the only abbreviations to be used when processing a ticket. Please spell out the complete word when time and space are available.

Also Known As - AKA

Approximately - APPX or APPROX

Avenue - AVE

Between - BTWN

Boulevard - BLVD

Building - BLDG

Business - BUS

Cable Television - CATV

Circle - CIR

Construction - CONSTR

Court - CT

Drive - DR

Electric - ELEC

Excavate/Excavator - EXCAV

Expressway - EXPY

Foot - FT

Highway - HWY

Inches - IN

Information - INFO

Intersection - INTER

Interstate - I (I 70)

Lane - LN

Mile - MI

Parkway - PKWY

Pedestal - PED

Place - PL

Property - PROP

Railroad - RR

Right of Way - R/W

Road - RD

Street - ST

Subdivision - SUBDIV

Telephone - TEL

Terrace - TER

Traffic Way - TFWY

Underground - UG

## NFFD HELP?

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours:

Mon - Fri 8a - 5p

## HELP PAGES / APPENDIX



# **DISTANCES**

and MEASUREMENTS

1/10	OF A MILE	=	0.10	MILE	=	528	FEET
2/10	OF A MILE	=	0.20	MILE	=	1056	FEET
3/10	OF A MILE	=	0.30	MILE	=	1584	FEET
4/10	OF A MILE	=	0.40	MILE	=	2112	FEET
5/10	OF A MILE	=	0.50	MILE	=	2640	FEET
6/10	OF A MILE	=	0.60	MILE	=	3168	FEET
7/10	OF A MILE	=	0.70	MILE	=	3696	FEET
8/10	OF A MILE	=	0.80	MILE	=	4224	FEET
9/10	OF A MILE	=	0.90	MILE	=	4752	FEET
1/16	OF A MILE	=	110	YARDS	S=	330	FEET
1/8	OF A MILE	=	220	YARDS	S=	660	FEET
1/4	OF A MILE	=	0.25	MILE	=	1320	FEET
1/3	OF A MILE	=	0.33	MILE	=	1760	FEET
3/8	OF A MILE	=	660	YARDS	S=	1980	FEET
1/2	OF A MILE	=	0.5	MILE	=	2640	FEET
2/3	OF A MILE	=	0.66	MILE	=	3520	FEET
3/4	OF A MILE	=	0.75	<b>MILE</b>	=	3960	FEET
-							
1	MILE	=	1760	YARDS	S=	5280	FEET

# NEED HELP?

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC specialist while you are processing your locate requests. Hours:

Mon - Fri 8a - 5p



### **GOOGLE - POSITIONAL SHIFT EXAMPLE**

When drawing the excavation polygon on the **Google map**, click the **"OCC"** button to verify the polygon on the ITIC map before submitting.

In this example the work area is located on the E side of William St, between Franklin St and Lorene St.

The polygon alignment may be **different** between the two maps.

Polygon - **GOOGLE MAP** 

Polygon - OCC MAP



You must adjust or modify the polygon to cover the **entire excavation area** as it is depicted on the OCC map.

(The OCC map is the map that determines which utilities will be notified.)

FRANKLIN ST

FRANKLIN ST

FRANKLIN ST

FRANKLIN ST

FRANKLIN ST

FRANKLIN ST

CENTER ST



## **GOOGLE - FLOATING POLYGON EXAMPLE**

When drawing the excavation polygon on the **Google map**, click the "**OCC**" button to verify the polygon on the ITIC map before submitting. If the area on the **Google map** is **not** on the OCC map, it will appear as a 'floating polygon' - if it appears in the correct area - it is acceptable.




'Floating Polygon' - OCC MAP



58:750719 -90:572869

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours: Mon - Fri 8a - 5p





### WORK OFF PROPERTY & ROADS EXAMPLE


If the work area is taking place on (or along) a map/geographical feature (creeks, railroad tracks, etc...), use the same method as work taking place on a roadway. However, **you must include driving directions to the feature**.

As always, the driving directions must start at an intersection of 2 named roads, and must include approximate **distance and direction** [from the intersection] to the work area.

#### **Example**

The excavator is working in the creek and 10ft on both sides of the creek, for approximately 200ft. Driving directions should be given as follows:

"From the intersection of Kriner Rd and Van Belle Rd, travel west on Van Belle Rd approximately 375ft to the unnamed creek. Travel north following the creek 250ft. At this point, locate in creek and 10ft on both sides of creek going north for 200ft."




# HELP?

Click on the 'Chat Live' icon at the top of any page to chat with an ITIC operator while you are processing your locate requests. Hours: Mon - Fri 8a - 5p




## UPLOAD FILE(S)

You can attach one or more files (image, text, shape, etc.) to your locate request by clicking on the **Attachments** button.



This will bring up a menu that will allow you to choose files directly from your current computer by clicking the **Choose Files** button.



You can also enter a brief description of the attachment in the **Description** field. Member utilities who receive their tickets electronically can then access the file(s) via a URL link in the ticket information.






## **WELCOME TO ITIC MOBILE!**



ITIC Mobile is a new version of ITIC that has been optimized for use on your smart phone or tablet. This quick guide will give you an explanation on using ITIC Mobile to file your locate requests online from any location!

## **GETTING STARTED**


To use ITIC Mobile on your smart phone you will first need to create a shortcut icon on your device's desktop. This eliminates the need for downloading any 'APP' from an online store or website, as well as avoiding the need for 'allowing' access by any sort of 'APP'... ITIC Mobile makes it EASY AS 1-2-3!



ITIC Mobile

## Step 1

Log in to ITIC on your mobile device's web browser and click the button labeled ITIC Mobile.



Ø 71% ■

## ITIC MOBILE QUICK GUIDE

ticket. The second option takes you to the mobile ITIC ticket entry screen. This is the page you should save to your device desktop.

click save to store your login credentials on your system

SAVE

click continue to load the mobile application

CONTINUE

## Step 2

On the bottom of the next page click **SAVE**. This will allow your mobile device to store your login and contact information.

LTE

2:31 PM

Then click **CONTINUE**.


••000

## Step 3

This will take you to the ITIC Mobile Login Screen. This is where you will create your shortcut icon.

If you are using an iPhone or iPad - click the button in the center of the Safari control panel, located at the bottom of the screen.

Then click the **Add** To Home Screen button. This will create your shortcut icon on your desktop.




## **ANDROID USERS!**

If you are using an Android
Device – Click the MENU
button, then click the Add
Shortcut or Add To Home
Screen button. This will
create your shortcut icon on
your desktop.









password

Ticket Search

ITIC Mobile also allows you to access the **Ticket Search** function. To begin simply click the button labeled Ticket Search on the main menu. (See page

33 for more details.)

### **CONGRATULATIONS!**

You can now access ITIC Mobile quickly and easily with one click on your smart phone or other mobile device!

### **LOGGING IN**

Once you have created your shortcut icon you can easily access ITIC Mobile. When you first launch ITIC Mobile you will be prompted to login.

#### **IMPORTANT LOGIN NOTE:**

\*Your login and password are case-sensitive. If your device automatically capitalizes the beginning of words, this may cause an error when attempting to log in.

Use your same Login and Password that you use for the desktop version of ITIC. If you clicked **SAVE** earlier (see previous page), ITIC Mobile will save your login & password after you log in for the first time. Click **NEXT.** 

To begin a new ticket click

**BEGIN TICKET.** 

ITIC User Information, Excavator Information,

Contact Information will

auto-fill with the information stored on your ITIC account.

(See pages 6-8 for more details)

and Alternate

The rest of the ITIC process will feel very similar to the desktop version of ITIC.



Washington One Call



Phone No:

555-555-5555

Ext:



### **PROFILES**

You can easily access the **Profiles** you have stored on your ITIC account through the **Profiles Menu** located just above the Alternate Contact Information. (See pages 8-9 for more details)

### **MAPPING** IN BRIEF

Mapping in ITIC Mobile is very similar to the desktop version of ITIC and functions in a very similar fashion. There are **two important** exceptions, however:




# 1. Hand-drawing your polygon:

Click the **Clear** button to remove the computer generated polygon.

Begin drawing your polygon by tapping the screen where you would like to set the first point.

Continue setting points until you have closed out your polygon.



#### 2. Add Point Feature:

This useful feature works with your device's GPS to pinpoint your location on the ITIC Mobile map. Simply click the **Add Point** button and ITIC Mobile will add a point on the map that corresponds with your current physical location.

## That's all there is to it!

As you can tell, ITIC Mobile contains the same user-friendly features you can find in ITIC, just tailored for filing on-the-go. Remember to refer to the main body of this manual for more detailed information on filing locate requests with ITIC.